


User Guide



Monte Carlo

12' x 12'

Model: LGFP9595



www.clubpiscine.ca

For all assistance contact the Hengya Trade Customer Service by telephone
at 1-855-379-7070 or by email at service@hengyatrade.com.

Regulations

IMPORTANT: A gazebo may entail to purchasea municipal permit or be subject to specific building codes. It is the consumer's responsibility to inform themselves of any restrictions.

It is important to read and follow all safety information prior to assembly of the unit as well as during usage to reduce risk of injury and avoid damage to the product and its surroundings.

- 1: You must schedule enough time to complete the assembly of the unit which will take approximately 7 hours to set up. You must not leave the unit unattended if it is not completed, even if it is already anchored to the ground. It is recommended that, for safety issues, do not leave the incomplete structure unattended.
- 2: 3 people are required to assemble the gazebo .
- 3: The unit must be assembled on a level platform (wood deck, stone tile or concrete) and must be anchored using appropriate screws for that flooring. Failure to do so will nullify the Warranty.
- 4: To avoid damages the assembly of the unit should be constructed no less than 5 feet from any fixed obstruction.
- 5: To avoid damage to the unit and its components, place all parts on a soft surface and use appropriate tools. Do not use the structure as a support; use a stepladder.
- 6: Do not use the structure as a support; use a stepladder.
- 7: Some assembly parts contain sharp edges; you should wear protective gloves when handling these items.

If any of these above-mentioned instructions is not followed the warranty will be voided.

If at any time you require assistance to assemble your gazebo contact the Hengya Trade customer service team at 1-855-379-7070 or email service@hengyatrade.com.

Operation

WARNING: Do not place any type of space heater, any heat conductor or exposed flame under or within 5 feet of the gazebo.

Maintenance

The gazebo can be left outside year round. You MUST, however, remove any snow accumulation at all times. Failure to do so will nullify the Warranty.

In case of defective parts or if a problem occurs while using the product, please contact the Hengya Trade customer service team at 1-855-379-7070 or email service@hengyatrade.com. DO NOT RETURN THIS PRODUCT TO THE STORE.

To order replacement parts you will refer to the Model # of this unit and the Part # in the Parts List.

Care and Cleaning

Use a domestic soap or detergent and wash periodically with warm water using a sponge or fabric. Rinse with clean water.

Check periodically that all screws are tight to maintain the solidity of the structure.

Warranty

This solarium is guaranteed against defective materials from the factory or based on normal use of the product as follows: 3 years on the frame, 3 years on the roof and discoloration due to rust. Limited warranty applicable on parts only. No warranty on labor.

Shipping fees are covered during the warranty period. Keep your proof of purchase during the warranty period.

WHAT IS NOT COVERED

- Damages caused by abuse, misuse of this product or vandalism.
- Damages due to natural catastrophes.
- Water infiltration and holes in the roof panels are not covered.

For any assistance regarding the warranty of your gazebo contact the Hengya Trade customer service team at 1-855-379-7070 or email service@hengyatrade.com.

Pre-assembly

PLANNING INSTALLATION

Make sure that the boxes contain all the parts before starting the assembly.

Follow all assembly instructions for proper construction.


Keep this User Guide and Parts List for future reference.

IMPORTANT: One side of the Polycarbonate (PC) roof panels is protected with UV coating and is covered with a plastic film. Do not remove the protective film on the PC roof panels before installation. The UV-protected side must be installed facing the outside of the unit. If not done so the PC roof panels will not be covered by the Warranty.


TOOLS REQUIRED (Not included in boxes)



LEVEL



PHILLIPS SCREW DRIVER




SAFETY GOGGLES



SAFETY HAT



GLOVES



DRILL



STEPLADDER




HARDWARE PACKAGE INCLUDED

1#		73
Standard Screw (St 3.5x13)		
2#		48
Bolt (M6x16)		
3#		4
Standard Bolt (M5x16)		

4#		24
Bolt and Cap (M5x48)		
5#		16
Standard Screw (St 4x16)		
		1
Allen Key		







C Pre-assembly

PARTS LIST

			
A Screen Panel	8	A1 Screen Panel	2
			
B Frame	2	B1 Sliding Screen Door	2

C Pre-assembly

PARTS LIST

B2			4
Door Track			
B3			8
Door Stopper			
B4			2
Door Lock			
C			8
Panel Connector			
D			8
Panel Connector			
D1			8
Panel Connector			
E			8
Roof Bar			
E1			8
Angle Iron			
F			4
Roof Bar			
F1			4
Angle Iron			
G			1
Inside Roof Connector			
H			1
Outside Roof Connector			
I			4
Roof Insertion Bar			
I1			4
Roof Insertion Bar			
I2			4
Roof Insertion Bar			
J			4
Inside Support Bar			
J1			4
Inside Support Bar			
K			4
Inside Support Bar			



C Pre-assembly

PARTS LIST

K1		4
Inside Support Bar		
L		4
Inside Support Bar		
L1		4
Inside Support Bar		
O		4
Finishing Bar		
O1		4
Finishing Bar		
P		4
Gap Cover Bar		
P1		4
Gap Cover Bar		
M		4
Roof Panel		
M1		4
Roof Panel		
N		4
Roof Panel		
N1		4
Roof Panel		
Na		4
Roof Panel		
Nb		4
Roof Panel		
Q		4
Finishing Ends		
R		8
Corner Finishing Ends		


C Assembly

STEP 1





C Assembly

STEP 2




C Assembly

STEP 3





C Assembly

STEP 4





C Assembly

STEP 5






C Assembly

STEP 6







C Assembly

STEP 7




C Assembly

STEP 8





C Assembly

STEP 9




C Assembly

STEP 10



C Assembly


STEP 11



C Assembly


STEP 12

IMPORTANT: One side of the Polycarbonate (PC) roof panels is protected with UV coating and is covered with a plastic film. Do not remove the protective film on the PC roof panels before installation. The UV-protected side must be installed facing the outside of the unit. If not done so the PC roof panels will not be covered by the Warranty.



C Assembly

STEP 13



Assembly

L'abri doit être ancré à un plancher de bois ou de béton en utilisant les vis appropriées pour chaque type de plancher. Les Clou de Camping ne peuvent pas être utilisés comme ancre en permanence sinon la garantie sera alors annulée.

 **Notes**

C **Notes**



www.clubpiscine.ca